





FORGE CORNER

Executive vintage industrial head turner.

Based on the Forge, our Forge Corner features an extra motorised leg to facilitate a greater working area with a higher load capacity. Finished in the same smooth clear lacquer, this desk offers the ultimate industrial look.

Resilient and stylish, spacious and cool.



FORGE CORNER

PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

FRAME

Guarantee	Operational Life	Anti-Collision
5yrs	10,000 cycles at full rated load	Yes
Frame Width Adjustment	Voltage	Compliance
1150 - 1740mm x 1545 - 2135mm	230V AC Input, 24V DC operation	UKCA and CE Conformity
Height Range (Inc. 25mm Top)	Operational Speed	Machine Directive 2006/42/EC
625 - 1285mm (±5mm)	40mm per second	EMC Directive 2014/30EU
Stroke	Standby Power	Low Voltage Directive 2014/35/EC
660mm	<0.3 W	REACH, WEEE and RoHS 3 2015/863
Side Bracket Depth	Max Operational Power	EN 527-1:2011 Type A, EN 527-2:2016
540mm	410W	ISO 21016
Foot Depth	Programmable Min/Max Height	
690mm x 2, 490mm x 1 (return)	Yes	
Max Even Load Capacity	Duty Cycle	
160kg	10% - 2mins on, 18mins off	
Total Frame Weight	Noise Level	
45kg	<42 dB	

DESKTOP

Guarantee	Edging	Stock Sizes
5yrs	2mm ABS	1600 x 1600mm
Material	Compliance	1800 x 1600mm
25mm MFC	FSC® Certified	(2 piece tops)

PACKAGING


Frame	Top (size dependent)
Size - 840 x 380 x 120mm (per box)	Size - (1700 - 1900) x 900 x 30mm x 1
Weight - 49kg (total)	1100 x 700 x 30mm x 1
Quantity - 2 (total)	Weight - 34 - 36kg (total)
	Quantity - 2 (total)

INSTALLATION

Build Time (per unit)
30 - 40 mins
Suitable for self-assembly
Yes

SAMPLES

Order free desktop décor samples at www.lavorodesign.com/samples 



The Forge Corner desk is a triple motor version of the popular Forge desk, our vintage-industrial style raw steel frame. This is finished in a clear lacquer, leaving visible weld seams, heat marks and burnishing.

The precision manufacturing process gives this desk a rugged look, whilst maintaining ultra-smooth operation. The Forge Corner is rated to carry an even load of 160kg and has an optional high sensitivity upgrade available. The height adjustment range of 625 - 1285mm allows for a wide user spectrum.

FEATURES



Height Range: 625 - 1285mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery




Load Capacity: 160kg



Triple Motor Desk

FRAME OPTIONS



Raw Steel
Gloss Finish

SUSTAINABILITY



FORGE CORNER

RAW STEEL FRAMES

RAW STEEL
GLOSS FINISH



BLACK
Raw Frame

1600x1600: [FORC/16001600BLA](#)
1800x1600: [FORC/18001600BLA](#)



GRAPHITE
Raw Frame

1600x1600: [FORC/16001600GRA](#)
1800x1600: [FORC/18001600GRA](#)



GREY
Raw Frame

1600x1600: [FORC/16001600GRY](#)
1800x1600: [FORC/18001600GRY](#)



WHITE
Raw Frame

1600x1600: [FORC/16001600WHI](#)
1800x1600: [FORC/18001600WHI](#)



WENGE
Raw Frame

1600x1600: [FORC/16001600WEN](#)
1800x1600: [FORC/18001600WEN](#)



ANTHRACITE SHERMAN OAK
Raw Frame

1600x1600: [FORC/16001600ASO](#)
1800x1600: [FORC/18001600ASO](#)



NATURAL DIJON WALNUT
Raw Frame

1600x1600: [FORC/16001600NDW](#)
1800x1600: [FORC/18001600NDW](#)



TIMBER
Raw Frame

1600x1600: [FORC/16001600TIM](#)
1800x1600: [FORC/18001600TIM](#)



GREY NEBRASKA OAK
Raw Frame

1600x1600: [FORC/16001600GNO](#)
1800x1600: [FORC/18001600GNO](#)



BEECH
Raw Frame

1600x1600: [FORC/16001600BEE](#)
1800x1600: [FORC/18001600BEE](#)



OAK
Raw Frame

1600x1600: [FORC/16001600OAK](#)
1800x1600: [FORC/18001600OAK](#)



MAPLE
Raw Frame

1600x1600: [FORC/16001600MAP](#)
1800x1600: [FORC/18001600MAP](#)



CASCINA PINE
Raw Frame

1600x1600: [FORC/16001600CAS](#)
1800x1600: [FORC/18001600CAS](#)



BLACK PLY EDGE
Raw Frame

1600x1600: [FORC/16001600BLA/PE](#)
1800x1600: [FORC/18001600BLA/PE](#)



GRAPHITE PLY EDGE
Raw Frame

1600x1600: [FORC/16001600GRA/PE](#)
1800x1600: [FORC/18001600GRA/PE](#)



WHITE PLY EDGE
Raw Frame

1600x1600: [FORC/16001600WHI/PE](#)
1800x1600: [FORC/18001600WHI/PE](#)



CONCRETE
Raw Frame

1600x1600: [FORC/16001600CON](#)
1800x1600: [FORC/18001600CON](#)



FERRO BRONZE
Raw Frame

1600x1600: [FORC/16001600FER](#)
1800x1600: [FORC/18001600FER](#)

SEE PAGE 184
FOR OUR RANGE
OF ACCESSORIES