





## FORGE

The classy industrial looking one.

The Forge features a raw steel industrial look with all welds and burnish marks retained but coated with a tough, clear lacquer for heavy, constant use. The three stage leg offers maximum height range to suit all users.

For stylish minimalist workspaces.



# FORGE

## PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

### FRAME

Guarantee

**5yrs**

Frame Width Adjustment

**1150 - 1740mm**

Height Range (Inc. 25mm Top)

**625 - 1285mm (± 5mm)**

Stroke

**660mm**

Side Bracket Depth

**540mm**

Foot Depth

**690mm**

Max Even Load Capacity

**120kg**

Total Frame Weight

**29kg**

Operational Life

**10,000 cycles at full rated load**

Voltage

**230V AC Input, 24V DC operation**

Operational Speed

**40mm per second**

Standby Power

**<0.3 W**

Max Operational Power

**300W**

Programmable Min/Max Height

**Yes**

Duty Cycle

**10% - 2mins on, 18mins off**

Noise Level

**<42 dB**

Anti-Collision

**Yes**

Compliance

**UKCA and CE Conformity**

**Machine Directive 2006/42/EC**

**EMC Directive 2014/30EU**

**Low Voltage Directive 2014/35/EC**

**REACH, WEEE and RoHS 3 2015/863**

**EN 527-1:2011 Type A, EN 527-2:2016**

**ISO 21016**

### DESKTOP

Guarantee

**5yrs**

Material

**25mm MFC**

Edging

**2mm ABS**

Compliance

**FSC® Certified**

Stock Sizes

**1200 x 700mm, 1200 x 800mm,**

**1400 x 700mm, 1400 x 800mm,**

**1600 x 700mm, 1600 x 800mm,**

**1800 x 800mm**

### PACKAGING

Frame

**Size - 840 x 380 x 120mm**

**Weight - 31kg**

**Quantity - 1**

Top (size dependent)

**Size - (1300 - 1900) x 900 x 30mm**

**Weight - 16 - 26kg**

**Quantity - 1**

### INSTALLATION

Build Time (per unit)

**20 - 30 mins**


Suitable for self-assembly

**Yes**

### SAMPLES

Order free desktop décor samples at

[www.lavorodesign.com/samples](http://www.lavorodesign.com/samples) 



The Forge is a robust dual motor desk, made from high grade steel. The framework is finished with a clear lacquer, leaving visible weld seams, heat marks and burnishing.

The Forge has two solid motors giving a refined, low noise operation and rapid operation of 40mm/s. The frame and all electronics are covered by a 5 year guarantee. It also features a telescopic central beam system, allowing it to be fitted with desktops from 1200 to 1800mm in width.

## FEATURES



Height Range: 625 - 1285mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 120kg



Dual Motor Desk

## FRAME OPTIONS



Raw Steel  
Gloss Finish

## SUSTAINABILITY



# FORGE

## RAW STEEL FRAMES

RAW STEEL  
GLOSS FINISH



### BLACK

Raw Frame

1200x800: [FORS/1200800BLA](#)

1400x800: [FORS/1400800BLA](#)

1600x800: [FORS/1600800BLA](#)

1800x800: [FORS/1800800BLA](#)

1200x700: [FORS/1200700BLA](#)

1400x700: [FORS/1400700BLA](#)

1600x700: [FORS/1600700BLA](#)



### GRAPHITE

Raw Frame

1200x800: [FORS/1200800GRA](#)

1400x800: [FORS/1400800GRA](#)

1600x800: [FORS/1600800GRA](#)

1800x800: [FORS/1800800GRA](#)

1200x700: [FORS/1200700GRA](#)

1400x700: [FORS/1400700GRA](#)

1600x700: [FORS/1600700GRA](#)



### GREY

Raw Frame

1200x800: [FORS/1200800GRY](#)

1400x800: [FORS/1400800GRY](#)

1600x800: [FORS/1600800GRY](#)

1800x800: [FORS/1800800GRY](#)

1200x700: [FORS/1200700GRY](#)

1400x700: [FORS/1400700GRY](#)

1600x700: [FORS/1600700GRY](#)



### WHITE

Raw Frame

1200x800: [FORS/1200800WHI](#)

1400x800: [FORS/1400800WHI](#)

1600x800: [FORS/1600800WHI](#)

1800x800: [FORS/1800800WHI](#)

1200x700: [FORS/1200700WHI](#)

1400x700: [FORS/1400700WHI](#)

1600x700: [FORS/1600700WHI](#)



### WENGE

Raw Frame

1200x800: [FORS/1200800WEN](#)

1400x800: [FORS/1400800WEN](#)

1600x800: [FORS/1600800WEN](#)

1800x800: [FORS/1800800WEN](#)

1200x700: [FORS/1200700WEN](#)

1400x700: [FORS/1400700WEN](#)

1600x700: [FORS/1600700WEN](#)



### ANTHRACITE SHERMAN OAK

Raw Frame

1200x800: [FORS/1200800ASO](#)

1400x800: [FORS/1400800ASO](#)

1600x800: [FORS/1600800ASO](#)

1800x800: [FORS/1800800ASO](#)

1200x700: [FORS/1200700ASO](#)

1400x700: [FORS/1400700ASO](#)

1600x700: [FORS/1600700ASO](#)



### NATURAL DIJON WALNUT

Raw Frame

1200x800: [FORS/1200800NDW](#)

1400x800: [FORS/1400800NDW](#)

1600x800: [FORS/1600800NDW](#)

1800x800: [FORS/1800800NDW](#)

1200x700: [FORS/1200700NDW](#)

1400x700: [FORS/1400700NDW](#)

1600x700: [FORS/1600700NDW](#)



### TIMBER

Raw Frame

1200x800: [FORS/1200800TIM](#)

1400x800: [FORS/1400800TIM](#)

1600x800: [FORS/1600800TIM](#)

1800x800: [FORS/1800800TIM](#)

1200x700: [FORS/1200700TIM](#)

1400x700: [FORS/1400700TIM](#)

1600x700: [FORS/1600700TIM](#)



GREY NEBRASKA OAK

Raw Frame

1200x800: [FORS/1200800GNO](#)

1400x800: [FORS/1400800GNO](#)

1600x800: [FORS/1600800GNO](#)

1800x800: [FORS/1800800GNO](#)

1200x700: [FORS/1200700GNO](#)

1400x700: [FORS/1400700GNO](#)

1600x700: [FORS/1600700GNO](#)



BEECH

Raw Frame

1200x800: [FORS/1200800BEE](#)

1400x800: [FORS/1400800BEE](#)

1600x800: [FORS/1600800BEE](#)

1800x800: [FORS/1800800BEE](#)

1200x700: [FORS/1200700BEE](#)

1400x700: [FORS/1400700BEE](#)

1600x700: [FORS/1600700BEE](#)



OAK

Raw Frame

1200x800: [FORS/1200800OAK](#)

1400x800: [FORS/1400800OAK](#)

1600x800: [FORS/1600800OAK](#)

1800x800: [FORS/1800800OAK](#)

1200x700: [FORS/1200700OAK](#)

1400x700: [FORS/1400700OAK](#)

1600x700: [FORS/1600700OAK](#)



MAPLE

Raw Frame

1200x800: [FORS/1200800MAP](#)

1400x800: [FORS/1400800MAP](#)

1600x800: [FORS/1600800MAP](#)

1800x800: [FORS/1800800MAP](#)

1200x700: [FORS/1200700MAP](#)

1400x700: [FORS/1400700MAP](#)

1600x700: [FORS/1600700MAP](#)



CASCINA PINE

Raw Frame

1200x800: [FORS/1200800CAS](#)

1400x800: [FORS/1400800CAS](#)

1600x800: [FORS/1600800CAS](#)

1800x800: [FORS/1800800CAS](#)

1200x700: [FORS/1200700CAS](#)

1400x700: [FORS/1400700CAS](#)

1600x700: [FORS/1600700CAS](#)



BLACK PLY EDGE

Raw Frame

1200x800: [FORS/1200800BLA/PE](#)

1400x800: [FORS/1400800BLA/PE](#)

1600x800: [FORS/1600800BLA/PE](#)

1800x800: [FORS/1800800BLA/PE](#)

1200x700: [FORS/1200700BLA/PE](#)

1400x700: [FORS/1400700BLA/PE](#)

1600x700: [FORS/1600700BLA/PE](#)



GRAPHITE PLY EDGE

Raw Frame

1200x800: [FORS/1200800GRA/PE](#)

1400x800: [FORS/1400800GRA/PE](#)

1600x800: [FORS/1600800GRA/PE](#)

1800x800: [FORS/1800800GRA/PE](#)

1200x700: [FORS/1200700GRA/PE](#)

1400x700: [FORS/1400700GRA/PE](#)

1600x700: [FORS/1600700GRA/PE](#)



WHITE PLY EDGE

Raw Frame

1200x800: [FORS/1200800WHI/PE](#)

1400x800: [FORS/1400800WHI/PE](#)

1600x800: [FORS/1600800WHI/PE](#)

1800x800: [FORS/1800800WHI/PE](#)

1200x700: [FORS/1200700WHI/PE](#)

1400x700: [FORS/1400700WHI/PE](#)

1600x700: [FORS/1600700WHI/PE](#)



CONCRETE

Raw Frame

1200x800: [FORS/1200800CON](#)

1400x800: [FORS/1400800CON](#)

1600x800: [FORS/1600800CON](#)

1800x800: [FORS/1800800CON](#)

1200x700: [FORS/1200700CON](#)

1400x700: [FORS/1400700CON](#)

1600x700: [FORS/1600700CON](#)



FERRO BRONZE

Raw Frame

1200x800: [FORS/1200800FER](#)

1400x800: [FORS/1400800FER](#)

1600x800: [FORS/1600800FER](#)

1800x800: [FORS/1800800FER](#)

1200x700: [FORS/1200700FER](#)

1400x700: [FORS/1400700FER](#)

1600x700: [FORS/1600700FER](#)

SEE PAGE 204  
FOR DESKTOP  
DÉCOR DETAILS