



TEAM

The opportunity for true distinction.

The Team height adjustable table offers endless opportunity for creating a unique, bespoke stamp on all meeting areas, with made-to-order surfaces in an unlimited number of shapes, styles, textures and sizes.

Dream big, we have it covered.



148 **TEAM**

TEAM

PRODUCT DETAILS

Web page

Images

Case Studies

Anti-Collision 10,000 cycles at full rated load Yes 5yrs Frame Width Adjustment 2350 - 3530mm 230V AC Input, 24V DC operation UKCA and CE Conformity Height Range (Inc. 25mm Top) Operational Speed Machine Directive 2006/42/EC EMC Directive 2014/30EU 625 - 1285mm (± 5mm) 40mm per second Low Voltage Directive 2014/35/EC 660mm <0.3 W REACH, WEEE and RoHS 3 2015/863 Max Operational Power EN 527-1:2011 Type A, EN 527-2:2016 740mm 410W ISO 21016 Programmable Min/Max Height 890mm Yes Max Even Load Capacity 160kg 10% - 2mins on, 18mins off Total Frame Weight

48kg

2mm ABS 5yrs Bespoke Material Width - 2400 - 5000mm 25mm MFC FSC® Certified Depth - 900 - 1500mm

Size - 840 x 380 x 120mm x 2 1000 x 200 x 200mm x 1

Weight - 54kg (total) Quantity - 3 (total)

Build Time (per unit)

40 - 60 mins

Suitable for self-assembly

Yes


<42 dB

Order free desktop décor samples at

www.lavorodesign.com/samples



TEAM — 149



The Team meeting and conference table is a versatile triple motor frame system, easily adjustable to allow the fitting of tops from 2 to 5 metres in length. The table will transform any meeting facility.

Available in 4 frame colours with the option of a large range of customisable top decors.

FFATURES



Height Range: 625 - 1285mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 160kg



Triple Motor Desk

STOCK FRAME COLOURS



Black RAL 9005



Anthracite Metallic



Silver RAL 9006



White RAL 9016

SUSTAINABILITY







150 — TEAM

TEAM

FRAME OPTIONS

RAL 9005 RAL 9006 RAL 9016









FRAME - STOCK



Frame Minimum Width - 2350mm Frame Maximum Width - 3530mm

TOPS - BESPOKE



Top Minimum Width - 2400mm Top Maximum Width - 5000mm Top Minimum Depth - 900mm Top Maximum Depth - 1500mm TEAM — 151





